



GR GRAFFITI REMOVER GEL FORMULA

Description

Dynamatrix® GR Graffiti Remover is an extremely versatile cleaner specially designed to remove graffiti and stains from concrete and other surfaces. Its gel consistency allows for easy removal of stains on vertical and horizontal surfaces. It is the best cleaner to use when you are faced with an unknown tough stain. Readily biodegradable and non corrosive, *Dynamatrix® GR Graffiti Remover* is part of our latest generation of products that are safer for our environment.

Features and Advantages

- Cleans paint over sprays
- Removes stains caused by permanent markers
- Evaporates slowly for better workability.
- Its gel formula allows easy cleaning of vertical surfaces.
- Contains no CFCs.
- Not corrosive even on metals
- Compatible with most surfaces
- Readily Biodegradable
- Low toxicity

Recommended Surfaces

It can be used on a vast majority of surfaces such as concrete, masonry, clay, plastic, fiberglass, wood, metals, steel, copper, aluminum, glass and even painted surfaces.

Storage

Store *Dynamatrix® GR Graffiti Remover* in its original container at temperatures between 10°C and 25°C (50°F to 75°F) in a dry area. The shelf life of this product is 3 years or less.

GR GRAFFITI REMOVER

Directions

A. Surface Testing

Before using the product, always perform a surface test by applying the product on a small inconspicuous area and follow the application instructions. If you are satisfied with the results and if no surface degradation occurs, proceed with the work.

Note: Some types of paints and coatings may degrade in contact with the product.

Always perform a test before using at large.

B. Application Procedure

1. Wear adequate protective clothing, safety glasses and chemical resistant gloves
2. Apply *GR Graffiti Remover* directly on your stains. Let it sit for about 3 to 5 minutes on the stains without the product drying. Apply more if the product is starting to dry.
3. Using a small brush or a scrub pad, quickly work the product into the stain.
4. Using a pressure washer, rinse thoroughly to remove the stain. Repeat the procedure if necessary.

Clean-up

Ground and Maritime freight are not regulated for this product.

Packaging

Dynamatrix® GR Graffiti Remover is available in metal containers of 0.946L (1US Quart) and in 18.9L (5US gal).

Safety Warnings

CAUTION. MAY IRRITATE EYES. MAY IRRITATE SKIN. Do not mix with strong acids. Do not get in eyes. Do not get on skin or clothing. **KEEP OUT OF REACH OF CHILDREN.** FIRST AID TREATMENT. If swallowed, call a Poison Control Centre or doctor immediately. Do not induce vomiting. If in eyes, rinse with water for 15 minutes. If on skin, rinse well with water. Material Safety Data Sheet available.

COMBUSTIBLE: Keep away from flames or sparks.

Limited Warranty

This premium quality product was designed to satisfy the user. If you are not satisfied after Surface Testing on a small area, please contact our technical service department immediately. NO WARRANTIES expressed or implied are offered by *DYNA*. The Manufacturer's liability is limited to the replacement of products proven defective. The user assumes all risks and liabilities associated with the use of this product.

Notice

DYNA shall not be liable for incidental and consequential damages indirectly or directly sustained, nor for any loss or injury by the application of this product or for any other intended use. Before using, the user shall determine the suitability of the product for its intended use and the user will assume all risks and liabilities that may arise in connection therewith. *DYNA's* liability is expressly limited to the replacement of products proven defective.

Technical Support

If you have any questions or if you need any additional information on *DYNA's* products, please consult our website www.dyna.ca or reach us by e-mail at mail@dyna.ca.

Technical Data

Test Procedure	Typical Values Obtained
Colour	Yellowish Liquid
Odour	Orange
Biodegradability	100%
Flash Point	> 37.8°C (100°F)
Specific Gravity	0.95 - 1.05
PH	10 - 11
Water Solubility	Partially

Version: 1

Sections
040100
040120.52
040140.52

DYNA®
ADVANCED BUILDING SYSTEMS


GR
GRAFFITI
REMOVER

GR GRAFFITI REMOVER

DYNA®

ADVANCED BUILDING SYSTEMS

We support the following organizations:



NAFTA Region / Corporate Head Office 37 Creditstone Road
Concord (ON) Canada L4K 1N3

CARICOM Region Lot 19, Naggo Head
Industrial Estate, Bridgeport Post Office,
St. Catherine, Jamaica

DYNAMATRIX®
A Division of **DYNA**

Phone: (905) 761-3309
Fax: (905) 761-2114

? Questions:
mail@dyna.ca

www.dyna.ca

866-861-6424